	Application No.	Applicant	s)	
Notice of Allowability	09/707.713		BALTES, ANDREAS	
	Examiner	Art Unit	RINDREAS	
	Stephone B. Aller	2878		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to the amendment filed on 17 October 2003				
2. ☑ The allowed claim(s) is/are <u>1-5 and 7-12</u> . 3. ☑ The drawings filed on <u> Yeff </u> are accepted by the Examiner. 4. ☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☑ All b) ☐ Some* c) ☐ None of the:				
1. ⊠ Certified copies of the priority documents have been received.				
2				
Certified copies not received:				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient				
8. CORRECTED DRAWINGS must be submitted. (a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) Deper No. (b) Including changes required by the proposed drawing correction filed, which has been approved by the Examiner. (c) Including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No.				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.				
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s)				
Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) Information Disclosure Statements (PTO-1449), Paper No Examiner's Comment Regarding Requirement for Deposit of Biological Material	4□ I 6□ I	lotice of Informal Patent App nterview Summary (PTO-41: Examiner's Amendment/Com Examiner's Statement of Rea Other	3), Paper No ment	

Application/Control Number: 09/707,713

Art Unit: 2878

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

The amendment filed of 9/4/03 inadvertently failed to correct a grammatical error; therefore, in claim 2, line 5, "diaphragm" has been changed to –diaphragms--. The paragraph to which this change was made reads as follows:

2. (currently amended) The device as claimed in claim 1, wherein there is a said optical receiver (9, 10, 11, 12, 13, 14) for each position of the selector lever (1) to be determined, and an opening (5, 6, 7) in an individual one of the diaphragms (2, 3) is moved over the optical receivers (9, 10, 11, 12, 13, 14) when the selector lever (1) is moved.

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

The prior art fails to disclose, either singly or in combination, a device for detecting the position of a selector lever, in which the selector lever is connected to a device that emits a signal to an evaluation device in a desired position of the selector lever, wherein the selector lever is connected to a first diaphraam and to a second

Application/Control Number: 09/707,713

Art Unit: 2878

diaphragm, the first and second diaphragms being arranged in a bam path between an optical transmitter being arranged in a beam path between an optical transmitter and an optical receiver, wherein there is a mechanical connection between the selector lever and the first diaphragm providing for movement of the first diaphragm in response to movement of the selector lever along a first coordinate direction, the mechanical connection providing for movement of the second diaphragm upon movement of the selector lever in a second coordinate direction, an individual one of the diaphragms, which follows movement of the selector lever, being optically transparent in the desired position of the selector lever, as a result of which the optical receiver receives the signal from the optical transmitter and transmits it to the evaluation device.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephone B. Allen whose telephone number is (703) 308-4828. The examiner can normally be reached on Mon-Thurs from 0900-1700.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dave Porta can be reached on (703) 308-4852. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Art Unit: 2878

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Stephone B. Allen Primary Examiner Art Unit 2878

sba